



Safety Data Sheet

Copyright,2021, 3M Company All rights reserved. Copying and/or downloading of this information for the purpose of properly utilizing 3M products is allowed provided that: (1) the information is copied in full with no changes unless prior written agreement is obtained from 3M, and (2) neither the copy nor the original is resold or otherwise distributed with the intention of earning a profit thereon.

| | | | |
|------------------------|------------|-------------------------|------------|
| Document group: | 32-7899-1 | Version number: | 4.00 |
| Revision date: | 15/02/2021 | Supersedes date: | 14/08/2020 |

This Safety Data Sheet has been prepared in accordance with the REACH Regulation (EC) 1907/2006 and its modifications.

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

3M Scotch-Weld(TM) Plastic & Rubber Instant Adhesive PR20

Product Identification Numbers

UU-0015-0330-7

7100033988

1.2. Relevant identified uses of the substance or mixture and uses advised against

Identified uses

Adhesive

1.3. Details of the supplier of the safety data sheet

Address: 3M United Kingdom PLC, 3M Centre, Cain Road, Bracknell, Berkshire, RG12 8HT.
Telephone: +44 (0)1344 858 000
E Mail: tox.uk@mmm.com
Website: www.3M.com/uk

1.4. Emergency telephone number

+44 (0)1344 858 000

SECTION 2: Hazard identification

2.1. Classification of the substance or mixture

CLP REGULATION (EC) No 1272/2008

The health and environmental classifications of this material have been derived using the calculation method, except in cases where test data are available or the physical form impacts classification. Classification(s) based on test data or physical form are noted below, if applicable.

CLASSIFICATION:

3M Scotch-Weld(TM) Plastic & Rubber Instant Adhesive PR20

Skin Corrosion/Irritation, Category 2 - Skin Irrit. 2; H315
Serious Eye Damage/Eye Irritation, Category 2 - Eye Irrit. 2; H319
Specific Target Organ Toxicity-Single Exposure, Category 3 - STOT SE 3; H335

For full text of H phrases, see Section 16.

2.2. Label elements

CLP REGULATION (EC) No 1272/2008

SIGNAL WORD

WARNING.

Symbols

GHS07 (Exclamation mark) |

Pictograms



Ingredients:

| Ingredient | CAS Nbr | EC No. | % by Wt |
|-----------------------|-----------|-----------|---------|
| ethyl 2-cyanoacrylate | 7085-85-0 | 230-391-5 | 95 - 99 |

HAZARD STATEMENTS:

| | |
|------|-----------------------------------|
| H315 | Causes skin irritation. |
| H319 | Causes serious eye irritation. |
| H335 | May cause respiratory irritation. |

PRECAUTIONARY STATEMENTS

Prevention:

P261A Avoid breathing vapours.

Response:

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

For containers not exceeding 125 ml the following Hazard and Precautionary statements may be used:

No hazard statements are required for containers <=125 mL.
No precautionary statements are required for containers <=125 mL.

SUPPLEMENTAL INFORMATION:

Supplemental Hazard Statements:

EUH202 Cyanoacrylate. Danger. Bonds skin and eyes in seconds. Keep out of the reach of children.

Supplemental Precautionary Statements:

Avoid eye and skin contact. If eyelids are bonded, do not force open. In case of skin bonding, quickly soak in warm water and avoid excessive force to free bonded area.

3M Scotch-Weld(TM) Plastic & Rubber Instant Adhesive PR20**2.3. Other hazards**

May bond tissue rapidly. Contact through clothing may cause thermal burns.

SECTION 3: Composition/information on ingredients**3.1. Substances**

Not applicable

3.2. Mixtures

| Ingredient | Identifier(s) | % | Classification according to Regulation (EC) No. 1272/2008 [CLP] |
|-----------------------|---|---------|---|
| ethyl 2-cyanoacrylate | (CAS-No.) 7085-85-0 (EC-No.) 230-391-5 | 95 - 99 | Skin Irrit. 2, H315 Eye Irrit. 2, H319 STOT SE 3, H335 |
| Non-Hazardous Resin | Trade Secret | 1 - 5 | Substance not classified as hazardous |
| 1,4-dihydroxybenzene | (CAS-No.) 123-31-9 (EC-No.) 204-617-8 | <= 0.06 | Acute Tox. 4, H302 Eye Dam. 1, H318 Skin Sens. 1B, H317 Muta. 2, H341 Carc. 2, H351 Aquatic Acute 1, H400,M=10 |

Please see section 16 for the full text of any H statements referred to in this section

Specific Concentration Limits

| Ingredient | Identifier(s) | Specific Concentration Limits |
|-----------------------|---|-------------------------------|
| ethyl 2-cyanoacrylate | (CAS-No.) 7085-85-0 (EC-No.) 230-391-5 | (C >= 10%) STOT SE 3, H335 |

For information on ingredient occupational exposure limits or PBT or vPvB status, see sections 8 and 12 of this SDS

SECTION 4: First aid measures**4.1. Description of first aid measures****Inhalation**

Remove person to fresh air. If you feel unwell, get medical attention.

Skin contact

For skin bonds: Quickly soak in warm water and avoid use of excessive force to free bonded area. If unable to free bonded area, or if lips or mouth are bonded, get medical attention. If irritation persists, get medical attention.

Eye contact

Immediately flush eyes with large amounts of water for at least 15 minutes. Get immediate medical attention. DO NOT force eyelids open.

If swallowed

Rinse mouth. If you feel unwell, get medical attention.

4.2. Most important symptoms and effects, both acute and delayed

The most important symptoms and effects based on the CLP classification include:

Irritating to the respiratory tract (coughing, sneezing, nasal discharge, headache, hoarseness, and nose and throat pain).

Irritation to the skin (localized redness, swelling, itching, and dryness). Serious irritation to the eyes (significant redness, swelling, pain, tearing, and impaired vision).

4.3. Indication of any immediate medical attention and special treatment required

Not applicable

SECTION 5: Fire-fighting measures

5.1. Extinguishing media

In case of fire: Use a fire fighting agent suitable for flammable liquids such as dry chemical or carbon dioxide to extinguish.

5.2. Special hazards arising from the substance or mixture

Closed containers exposed to heat from fire may build pressure and explode.

Hazardous Decomposition or By-Products

| <u>Substance</u> | <u>Condition</u> |
|---------------------|--------------------|
| Carbon monoxide | During combustion. |
| Carbon dioxide. | During combustion. |
| Hydrogen cyanide. | During combustion. |
| Oxides of nitrogen. | During combustion. |

5.3. Advice for fire-fighters

Water may not effectively extinguish fire; however, it should be used to keep fire-exposed containers and surfaces cool and prevent explosive rupture. Wear full protective clothing, including helmet, self-contained, positive pressure or pressure demand breathing apparatus, bunker coat and pants, bands around arms, waist and legs, face mask, and protective covering for exposed areas of the head.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Evacuate area. Keep away from heat/sparks/open flames/hot surfaces. - No smoking. Use only non-sparking tools.

Ventilate the area with fresh air. For large spill, or spills in confined spaces, provide mechanical ventilation to disperse or exhaust vapours, in accordance with good industrial hygiene practice. Warning! A motor could be an ignition source and could cause flammable gases or vapours in the spill area to burn or explode. Refer to other sections of this SDS for information regarding physical and health hazards, respiratory protection, ventilation, and personal protective equipment.

6.2. Environmental precautions

Avoid release to the environment. For larger spills, cover drains and build dykes to prevent entry into sewer systems or bodies of water.

6.3. Methods and material for containment and cleaning up

Contain spill. Working from around the edges of the spill inward, cover with bentonite, vermiculite, or commercially available inorganic absorbent material. Mix in sufficient absorbent until it appears dry. Remember, adding an absorbent material does not remove a physical, health, or environmental hazard. Collect as much of the spilled material as possible using non-sparking tools. Place in a closed container approved for transportation by appropriate authorities. Clean up residue with an appropriate solvent selected by a qualified and authorised person. Ventilate the area with fresh air. Read and follow safety precautions on the solvent label and Safety Data Sheet. Seal the container. Dispose of collected material as soon as possible.

6.4. Reference to other sections

Refer to Section 8 and Section 13 for more information

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Keep away from heat/sparks/open flames/hot surfaces. - No smoking. Avoid breathing dust/fume/gas/mist/vapours/spray. Do not get in eyes, on skin, or on clothing. Do not eat, drink or smoke when using this product. Wash thoroughly after handling. Avoid release to the environment. Avoid contact with oxidising agents (eg. chlorine, chromic acid etc.)

7.2. Conditions for safe storage including any incompatibilities

Store in a well-ventilated place. Keep cool. Keep container tightly closed to prevent contamination with water or air. If contamination is suspected, do not reseal container. Store away from heat. Store away from acids. Store away from strong bases. Store away from oxidising agents. Store away from amines.

7.3. Specific end use(s)

See information in Section 7.1 and 7.2 for handling and storage recommendations. See Section 8 for exposure controls and personal protection recommendations.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational exposure limits

If a component is disclosed in section 3 but does not appear in the table below, an occupational exposure limit is not available for the component.

| Ingredient | CAS Nbr | Agency | Limit type | Additional comments |
|-----------------------|-----------|--------|---------------------------------------|---------------------|
| 1,4-dihydroxybenzene | 123-31-9 | UK HSC | TWA: 0.5 mg/m ³ | |
| ethyl 2-cyanoacrylate | 7085-85-0 | UK HSC | STEL: 1.5 mg/m ³ (0.3 ppm) | |

UK HSC : UK Health and Safety Commission

TWA: Time-Weighted-Average

STEL: Short Term Exposure Limit

CEIL: Ceiling

Biological limit values

No biological limit values exist for any of the components listed in Section 3 of this safety data sheet.

Recommended monitoring procedures: Information on recommended monitoring procedures can be obtained from UK HSC

8.2. Exposure controls

8.2.1. Engineering controls

Use general dilution ventilation and/or local exhaust ventilation to control airborne exposures to below relevant Exposure Limits and/or control dust/fume/gas/mist/vapours/spray. If ventilation is not adequate, use respiratory protection equipment.

8.2.2. Personal protective equipment (PPE)

Eye/face protection

Select and use eye/face protection to prevent contact based on the results of an exposure assessment. The following eye/face protection(s) are recommended:

Indirect vented goggles.

Applicable Norms/Standards

Use eye protection conforming to EN 166

Skin/hand protection

3M Scotch-Weld(TM) Plastic & Rubber Instant Adhesive PR20

Select and use gloves and/or protective clothing approved to relevant local standards to prevent skin contact based on the results of an exposure assessment. Selection should be based on use factors such as exposure levels, concentration of the substance or mixture, frequency and duration, physical challenges such as temperature extremes, and other use conditions. Consult with your glove and/or protective clothing manufacturer for selection of appropriate compatible gloves/protective clothing. Do not wear cotton gloves. Note: Nitrile gloves may be worn over polymer laminate gloves to improve dexterity.

Gloves made from the following material(s) are recommended:

| Material | Thickness (mm) | Breakthrough Time |
|------------------|-------------------|-------------------|
| Polymer laminate | No data available | No data available |

When only incidental contact is anticipated, alternative glove material(s) may be used. If contact with the glove does occur, remove immediately and replace with a set of new gloves. For incidental contact, gloves made of the following material(s) may be used: Nitrile rubber.

Applicable Norms/Standards

Use gloves tested to EN 374

Respiratory protection

An exposure assessment may be needed to decide if a respirator is required. If a respirator is needed, use respirators as part of a full respiratory protection program. Based on the results of the exposure assessment, select from the following respirator type(s) to reduce inhalation exposure:

Half facepiece or full facepiece air-purifying respirator suitable for organic vapours and particulates

For questions about suitability for a specific application, consult with your respirator manufacturer.

Applicable Norms/Standards

Use a respirator conforming to EN 140 or EN 136: filter types A & P

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

| | |
|--|--|
| Physical state | Liquid. |
| Colour | Colourless |
| Odor | Sharp Odor, Pungent Odor |
| Odour threshold | <i>No data available.</i> |
| Melting point/freezing point | <i>Not applicable.</i> |
| Boiling point/boiling range | 150 °C |
| Flammability (solid, gas) | Not applicable. |
| Flammable Limits(LEL) | <i>No data available.</i> |
| Flammable Limits(UEL) | <i>No data available.</i> |
| Flash point | 85 °C [<i>Test Method</i> :Closed Cup] |
| Autoignition temperature | <i>No data available.</i> |
| Decomposition temperature | <i>No data available.</i> |
| pH | <i>substance/mixture is non-soluble (in water)</i> |
| Kinematic Viscosity | 18.18181818182 mm ² /sec |
| Water solubility | Negligible |
| Solubility- non-water | <i>No data available.</i> |
| Partition coefficient: n-octanol/water | <i>No data available.</i> |
| Vapour pressure | 39.1 Pa [<i>@</i> 23.9 °C] |
| Density | 1.05 - 1.12 g/ml |
| Relative density | 1.05 - 1.12 [<i>Ref Std</i> :WATER=1] |
| Relative Vapor Density | <i>No data available.</i> |

9.2. Other information

9.2.2 Other safety characteristics

EU Volatile Organic Compounds

No data available.

Evaporation rate

Negligible

Percent volatile

90 - 97 % weight [*Test Method*:Estimated]

SECTION 10: Stability and reactivity

10.1 Reactivity

This material may be reactive with certain agents under certain conditions - see the remaining headings in this section

10.2 Chemical stability

Stable.

10.3 Possibility of hazardous reactions

Hazardous polymerisation may occur. Material polymerizes rapidly by contact with water, alcohol, amines and alkalis.

10.4 Conditions to avoid

Heat.

10.5 Incompatible materials

Strong oxidising agents.

Water

Strong bases.

Amines.

Alcohols.

10.6 Hazardous decomposition products

| <u>Substance</u> | <u>Condition</u> |
|------------------|------------------|
| None known. | |

Refer to section 5.2 for hazardous decomposition products during combustion.

SECTION 11: Toxicological information

The information below may not agree with the EU material classification in Section 2 and/or the ingredient classifications in Section 3 if specific ingredient classifications are mandated by a competent authority. In addition, statements and data presented in Section 11 are based on UN GHS calculation rules and classifications derived from internal hazard assessments.

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Signs and Symptoms of Exposure

Based on test data and/or information on the components, this material may produce the following health effects:

Inhalation

Respiratory tract irritation: Signs/symptoms may include cough, sneezing, nasal discharge, headache, hoarseness, and nose and throat pain.

Skin contact

Bonds skin rapidly. Mild Skin Irritation: Signs/symptoms may include localised redness, swelling, itching, and dryness. Contact through clothing may cause thermal burns.

3M Scotch-Weld(TM) Plastic & Rubber Instant Adhesive PR20**Eye contact**

Bonds eyelids rapidly. Severe eye irritation: Signs/symptoms may include significant redness, swelling, pain, tearing, cloudy appearance of the cornea, and impaired vision.

Ingestion

Gastrointestinal irritation: Signs/symptoms may include abdominal pain, stomach upset, nausea, vomiting and diarrhoea.

Toxicological Data

If a component is disclosed in section 3 but does not appear in a table below, either no data are available for that endpoint or the data are not sufficient for classification.

Acute Toxicity

| Name | Route | Species | Value |
|-----------------------|-----------|---------|--|
| Overall product | Ingestion | | No data available; calculated ATE >5,000 mg/kg |
| ethyl 2-cyanoacrylate | Dermal | Rabbit | LD50 > 2,000 mg/kg |
| ethyl 2-cyanoacrylate | Ingestion | Rat | LD50 > 5,000 mg/kg |
| Non-Hazardous Resin | Dermal | | LD50 estimated to be > 5,000 mg/kg |
| Non-Hazardous Resin | Ingestion | Rat | LD50 > 5,000 mg/kg |
| 1,4-dihydroxybenzene | Dermal | Rat | LD50 > 4,800 mg/kg |
| 1,4-dihydroxybenzene | Ingestion | Rat | LD50 302 mg/kg |

ATE = acute toxicity estimate

Skin Corrosion/Irritation

| Name | Species | Value |
|-----------------------|------------------|---------------------------|
| ethyl 2-cyanoacrylate | Rabbit | Mild irritant |
| Non-Hazardous Resin | Rabbit | No significant irritation |
| 1,4-dihydroxybenzene | Human and animal | Minimal irritation |

Serious Eye Damage/Irritation

| Name | Species | Value |
|-----------------------|---------|-----------------|
| ethyl 2-cyanoacrylate | Rabbit | Severe irritant |
| Non-Hazardous Resin | Rabbit | Mild irritant |
| 1,4-dihydroxybenzene | Human | Corrosive |

Skin Sensitisation

| Name | Species | Value |
|-----------------------|------------|----------------|
| ethyl 2-cyanoacrylate | Human | Not classified |
| 1,4-dihydroxybenzene | Guinea pig | Sensitising |

Respiratory Sensitisation

| Name | Species | Value |
|-----------------------|---------|----------------|
| ethyl 2-cyanoacrylate | Human | Not classified |

Germ Cell Mutagenicity

| Name | Route | Value |
|-----------------------|----------|--|
| ethyl 2-cyanoacrylate | In Vitro | Not mutagenic |
| 1,4-dihydroxybenzene | In Vitro | Some positive data exist, but the data are not sufficient for classification |
| 1,4-dihydroxybenzene | In vivo | Some positive data exist, but the data are not |

3M Scotch-Weld(TM) Plastic & Rubber Instant Adhesive PR20

sufficient for classification

Carcinogenicity

| Name | Route | Species | Value |
|----------------------|-----------|-------------------------|--|
| 1,4-dihydroxybenzene | Dermal | Mouse | Not carcinogenic |
| 1,4-dihydroxybenzene | Ingestion | Multiple animal species | Some positive data exist, but the data are not sufficient for classification |

Reproductive Toxicity**Reproductive and/or Developmental Effects**

| Name | Route | Value | Species | Test result | Exposure Duration |
|----------------------|-----------|--|---------|---------------------|----------------------|
| 1,4-dihydroxybenzene | Ingestion | Not classified for female reproduction | Rat | NOAEL 150 mg/kg/day | 2 generation |
| 1,4-dihydroxybenzene | Ingestion | Not classified for male reproduction | Rat | NOAEL 150 mg/kg/day | 2 generation |
| 1,4-dihydroxybenzene | Ingestion | Not classified for development | Rat | NOAEL 100 mg/kg/day | during organogenesis |

Target Organ(s)**Specific Target Organ Toxicity - single exposure**

| Name | Route | Target Organ(s) | Value | Species | Test result | Exposure Duration |
|-----------------------|------------|------------------------|----------------------------------|---------|---------------------|-----------------------|
| ethyl 2-cyanoacrylate | Inhalation | respiratory irritation | May cause respiratory irritation | Human | NOAEL Not available | occupational exposure |
| 1,4-dihydroxybenzene | Ingestion | nervous system | May cause damage to organs | Rat | NOAEL Not available | not applicable |
| 1,4-dihydroxybenzene | Ingestion | kidney and/or bladder | Not classified | Rat | NOAEL 400 mg/kg | not applicable |

Specific Target Organ Toxicity - repeated exposure

| Name | Route | Target Organ(s) | Value | Species | Test result | Exposure Duration |
|----------------------|-----------|-----------------------|----------------|---------|---------------------|-----------------------|
| 1,4-dihydroxybenzene | Ingestion | blood | Not classified | Rat | NOAEL Not available | 40 days |
| 1,4-dihydroxybenzene | Ingestion | bone marrow liver | Not classified | Rat | NOAEL Not available | 9 weeks |
| 1,4-dihydroxybenzene | Ingestion | kidney and/or bladder | Not classified | Rat | LOAEL 50 mg/kg/day | 15 months |
| 1,4-dihydroxybenzene | Ocular | eyes | Not classified | Human | NOAEL Not available | occupational exposure |

Aspiration Hazard

For the component/components, either no data is currently available or the data is not sufficient for classification.

Please contact the address or phone number listed on the first page of the SDS for additional toxicological information on this material and/or its components.

11.2. Information on other hazards

This material does not contain any substances that are assessed to be an endocrine disruptor for human health.

SECTION 12: Ecological information

The information below may not agree with the EU material classification in Section 2 and/or the ingredient classifications in Section 3 if specific ingredient classifications are mandated by a competent authority. In addition, statements and data presented in Section 12 are based on UN GHS calculation rules and classifications derived from

3M Scotch-Weld(TM) Plastic & Rubber Instant Adhesive PR20**3M assessments.****12.1. Toxicity**

No product test data available.

| Material | CAS # | Organism | Type | Exposure | Test endpoint | Test result |
|-----------------------|--------------|------------------|---|----------|---------------|--------------|
| ethyl 2-cyanoacrylate | 7085-85-0 | | Data not available or insufficient for classification | | | N/A |
| Non-Hazardous Resin | Trade Secret | | Data not available or insufficient for classification | | | N/A |
| 1,4-dihydroxybenzene | 123-31-9 | Activated sludge | Experimental | 2 hours | IC50 | 71 mg/l |
| 1,4-dihydroxybenzene | 123-31-9 | Green algae | Experimental | 72 hours | EC50 | 0.053 mg/l |
| 1,4-dihydroxybenzene | 123-31-9 | Rainbow trout | Experimental | 96 hours | LC50 | 0.044 mg/l |
| 1,4-dihydroxybenzene | 123-31-9 | Water flea | Experimental | 48 hours | EC50 | 0.061 mg/l |
| 1,4-dihydroxybenzene | 123-31-9 | Fathead minnow | Experimental | 32 days | NOEC | >=0.066 mg/l |
| 1,4-dihydroxybenzene | 123-31-9 | Green Algae | Experimental | 72 hours | NOEC | 0.0015 mg/l |
| 1,4-dihydroxybenzene | 123-31-9 | Water flea | Experimental | 21 days | NOEC | 0.0029 mg/l |

12.2. Persistence and degradability

| Material | CAS Nbr | Test type | Duration | Study Type | Test result | Protocol |
|-----------------------|--------------|------------------------------------|----------|------------|----------------|---------------------------|
| ethyl 2-cyanoacrylate | 7085-85-0 | Data not available or insufficient | | | N/A | |
| Non-Hazardous Resin | Trade Secret | Data not available or insufficient | | | N/A | |
| 1,4-dihydroxybenzene | 123-31-9 | Experimental Biodegradation | 14 days | BOD | 70 % BOD/ThBOD | OECD 301C - MITI test (I) |

12.3 : Bioaccumulative potential

| Material | Cas No. | Test type | Duration | Study Type | Test result | Protocol |
|-----------------------|--------------|---|----------|------------|-------------|---------------------|
| ethyl 2-cyanoacrylate | 7085-85-0 | Data not available or insufficient for classification | N/A | N/A | N/A | N/A |
| Non-Hazardous Resin | Trade Secret | Data not available or insufficient for classification | N/A | N/A | N/A | N/A |
| 1,4-dihydroxybenzene | 123-31-9 | Experimental Bioconcentration | | Log Kow | 0.59 | Non-standard method |

12.4. Mobility in soil

No test data available.

12.5. Results of the PBT and vPvB assessment

This material does not contain any substances that are assessed to be a PBT or vPvB

12.6. Endocrine disrupting properties

This material does not contain any substances that are assessed to be an endocrine disruptor for environmental effects

12.7. Other adverse effects

No information available.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Dispose of contents/ container in accordance with the local/regional/national/international regulations.

Dispose of completely cured (or polymerized) material in a permitted industrial waste facility. As a disposal alternative, incinerate uncured product in a permitted waste incineration facility. Proper destruction may require the use of additional fuel during incineration processes. Empty drums/barrels/containers used for transporting and handling hazardous chemicals (chemical substances/mixtures/preparations classified as Hazardous as per applicable regulations) shall be considered, stored, treated & disposed of as hazardous wastes unless otherwise defined by applicable waste regulations. Consult with the respective regulating authorities to determine the available treatment and disposal facilities.

The coding of a waste stream is based on the application of the product by the consumer. Since this is out of the control of 3M, no waste code(s) for products after use will be provided. Please refer to the European Waste Code (EWC - 2000/532/EC and amendments) to assign the correct waste code to your waste stream. Ensure national and/or regional regulations are complied with and always use a licensed waste contractor.

EU waste code (product as sold)

- 08 04 09* Waste adhesives and sealants containing organic solvents or other dangerous substances
- 20 01 27* Paint, inks, adhesives and resins containing dangerous substances

SECTION 14: Transportation information

| | Ground Transport (ADR) | Air Transport (IATA) | Marine Transport (IMDG) |
|--|--|--|--|
| 14.1 UN number | 0000 | UN3334 | 0000 |
| 14.2 UN proper shipping name | NOT REGULATED | AVIATION REGULATED LIQUID, N.O.S.(CYANOACRYLATE ESTER) | NOT REGULATED |
| 14.3 Transport hazard class(es) | Not applicable. | 9 | Not Applicable |
| 14.4 Packing group | Not applicable. | III | Not Applicable |
| 14.5 Environmental hazards | Not Environmentally Hazardous | Not applicable | Not a Marine Pollutant |
| 14.6 Special precautions for user | Please refer to the other sections of the SDS for further information. | Please refer to the other sections of the SDS for further information. | Please refer to the other sections of the SDS for further information. |
| 14.7 Transport in bulk according to Annex II of Marpol 73/78 and IBC Code | No data available. | No Data Available | No Data Available |

3M Scotch-Weld(TM) Plastic & Rubber Instant Adhesive PR20

| | | | |
|--------------------------------|--------------------|-------------------|-------------------|
| Control Temperature | No data available. | No Data Available | No Data Available |
| Emergency Temperature | No data available. | No Data Available | No Data Available |
| ADR Tunnel Code | Not applicable. | Not Applicable | Not Applicable |
| ADR Classification Code | Not applicable. | Not Applicable | Not Applicable |
| ADR Transport Category | 4 | Not Applicable | Not Applicable |
| ADR Multiplier | 0 | 0 | 0 |
| IMDG Segregation Code | Not applicable. | Not Applicable | NONE |
| Transport not Permitted | Not applicable. | Not Applicable | Not Applicable |

Please contact the address or phone number listed on the first page of the SDS for additional information on the transport/shipment of the material by rail (RID) or inland waterways (ADN).

SECTION 15: Regulatory information**15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture****Carcinogenicity**

| <u>Ingredient</u> | <u>CAS Nbr</u> | <u>Classification</u> | <u>Regulation</u> |
|----------------------|----------------|-------------------------|---|
| 1,4-dihydroxybenzene | 123-31-9 | Carc. 2 | Regulation (EC) No. 1272/2008, Table 3.1 |
| 1,4-dihydroxybenzene | 123-31-9 | Gr. 3: Not classifiable | International Agency for Research on Cancer |
| Non-Hazardous Resin | Trade Secret | Gr. 3: Not classifiable | International Agency for Research on Cancer |

15.2. Chemical Safety Assessment

A chemical safety assessment has not been carried out for this substance/mixture in accordance with Regulation (EC) No 1907/2006, as amended.

SECTION 16: Other information**List of relevant H statements**

H302 Harmful if swallowed.

| | |
|------|---------------------------------------|
| H315 | Causes skin irritation. |
| H317 | May cause an allergic skin reaction. |
| H318 | Causes serious eye damage. |
| H319 | Causes serious eye irritation. |
| H335 | May cause respiratory irritation. |
| H341 | Suspected of causing genetic defects. |
| H351 | Suspected of causing cancer. |
| H400 | Very toxic to aquatic life. |

Revision information:

EU Section 09: pH information information was added.
Section 1: Product identification numbers information was modified.
Section 01: SAP Material Numbers information was modified.
Label: CLP Classification information was modified.
Label: CLP Supplemental Precautionary Statements information was deleted.
Section 2: Other hazards phrase information was modified.
Section 02: SDS Elements: CLP Supplemental Precautionary Statements information was added.
Section 03: Composition table % Column heading information was added.
Section 3: Composition/ Information of ingredients table information was modified.
Section 03: SCL table information was added.
Section 03: Substance not applicable information was added.
Section 04: First Aid - Symptoms and Effects (CLP) information was added.
Section 04: Information on toxicological effects information was modified.
Section 7: Conditions safe storage information was modified.
Section 8: glove data value information was modified.
Section 8: Personal Protection - Skin/hand information information was modified.
Section 8: Respiratory protection - recommended respirators information information was modified.
Section 08: Skin protection - incidental contact text information was added.
Section 08: Skin protection - incidental contact information was added.
Section 9: Evaporation Rate information information was deleted.
Section 9: Explosive properties information information was deleted.
Section 09: Kinematic Viscosity information information was added.
Section 9: Melting point information information was modified.
Section 9: Oxidising properties information information was deleted.
Section 9: pH information information was deleted.
Section 9: Property description for optional properties information was modified.
Section 9: Vapour density value information was added.
Section 9: Vapour density value information was deleted.
Section 9: Viscosity information information was deleted.
Section 11: Classification disclaimer information was modified.
Section 11: Health Effects - Skin information information was modified.
Section 11: No endocrine disruptor information available warning information was added.
Section 12: 12.6. Endocrine Disrupting Properties information was added.
Section 12: 12.7. Other adverse effects information was modified.
Section 12: Component ecotoxicity information information was modified.
Section 12: Contact manufacturer for more detail. information was deleted.
Section 12: No Data text for mobility in soil information was added.
Section 12: No endocrine disruptor information available warning information was added.
Section 12: Biocumulative potential information information was modified.
Section 13: Standard Phrase Category Waste GHS information was modified.
Section 14 Classification Code – Main Heading information was added.
Section 14 Classification Code – Regulation Data information was added.
Section 14 Control Temperature – Main Heading information was added.
Section 14 Control Temperature – Regulation Data information was added.
Section 14 Disclaimer Information information was added.
Section 14 Emergency Temperature – Main Heading information was added.

3M Scotch-Weld(TM) Plastic & Rubber Instant Adhesive PR20

Section 14 Emergency Temperature – Regulation Data information was added.
Section 14 Hazard Class + Sub Risk – Main Heading information was added.
Section 14 Hazard Class + Sub Risk – Regulation Data information was added.
Section 14 Hazardous/Not Hazardous for Transportation information was added.
Section 14 Multiplier – Main Heading information was added.
Section 14 Multiplier – Regulation Data information was added.
Section 14 Other Dangerous Goods – Main Heading information was added.
Section 14 Other Dangerous Goods – Regulation Data information was added.
Section 14 Packing Group – Main Heading information was added.
Section 14 Packing Group – Regulation Data information was added.
Section 14 Proper Shipping Name information was added.
Section 14 Regulations – Main Headings information was added.
Section 14 Segregation – Regulation Data information was added.
Section 14 Segregation Code – Main Heading information was added.
Section 14 Special Precautions – Main Heading information was added.
Section 14 Special Precautions – Regulation Data information was added.
Section 14 Transport Category – Main Heading information was added.
Section 14 Transport Category – Regulation Data information was added.
Section 14 Transport in bulk – Regulation Data information was added.
Section 14 Transport in bulk according to Annex II of Marpol and the IBC Code – Main Heading information was added.
Section 14 Transport Not Permitted – Main Heading information was added.
Section 14 Transport Not Permitted – Regulation Data information was added.
Section 14 Tunnel Code – Main Heading information was added.
Section 14 Tunnel Code – Regulation Data information was added.
Section 14 UN Number Column data information was added.
Section 14 UN Number information was added.

DISCLAIMER: The information on this Safety Data Sheet is based on our experience and is correct to the best of our knowledge at the date of publication, but we do not accept any liability for any loss, damage or injury resulting from its use (except as required by law). The information may not be valid for any use not referred to in this Data Sheet or use of the product in combination with other materials. For these reasons, it is important that customers carry out their own test to satisfy themselves as to the suitability of the product for their own intended applications. In addition, this SDS is being provided to convey health and safety information. If you are the importer of record of this product into the European Union, you are responsible for all regulatory requirements, including, but not limited to, product registrations/notifications, substance volume tracking, and potential substance registration.

3M United Kingdom MSDSs are available at www.3M.com/uk