

Safety Data Sheet

Copyright, 2022, 3M Canada Company. All rights reserved. Copying and/or downloading of this information for the purpose of properly utilizing 3M products is allowed provided that: (1) the information is copied in full with no changes unless prior written agreement is obtained from 3M, and (2) neither the copy nor the original is resold or otherwise distributed with the intention of earning a profit thereon.

 Document group:
 10-0388-8
 Version number:
 13.04

 Issue Date:
 2022/10/13
 Supercedes Date:
 2021/12/02

This Safety Data Sheet has been prepared in accordance with the Canadian Hazardous Products Regulations.

SECTION 1: Identification

1.1. Product identifier

3MTM Hot Melt Adhesive 3738-AE, 3738-B, 3738-PG, 3738-Q, 3738-TC

Product Identification Numbers

| 62-3738-7230-8 | 62-3738-7231-6 | 62-3738-7232-4 | 62-3738-7233-2 | 62-3738-7234-0 |
|----------------|----------------|----------------|----------------|----------------|
| 62-3738-9030-0 | 62-3738-9105-0 | 62-3738-9130-8 | 62-3738-9132-4 | 62-3738-9133-2 |
| 62-3738-9134-0 | 62-3738-9135-7 | 62-3738-9136-5 | 62-3738-9230-6 | 62-3738-9231-4 |
| 62-3738-9232-2 | 62-3738-9305-6 | 62-3738-9330-4 | 62-3738-9331-2 | 62-3738-9335-3 |
| 62-3738-9336-1 | 62-3738-9337-9 | 62-3738-9338-7 | 62-3738-9339-5 | 62-3738-9430-2 |
| 62-3738-9505-1 | 62-3738-9530-9 | 62-3738-9531-7 | 62-3738-9532-5 | 62-3738-9536-6 |
| 62-3738-9537-4 | 62-3738-9630-7 | 62-3738-9730-5 | 62-3738-9805-5 | 62-3738-9830-3 |
| 62-3738-9831-1 | 62-3738-9835-2 | 62-3738-9836-0 | 62-3738-9930-1 | 62-3738-9931-9 |
| 62-3738-9935-0 | 62-3738-9936-8 | JS-3000-5016-3 | JS-3000-5034-6 | JS-3000-5062-7 |
| JS-3000-5074-2 | | | | |

1.2. Recommended use and restrictions on use

Intended Use

Hot melt adhesive.

Restrictions on use

Not applicable

1.3. Supplier's details

Company: 3M Canada Company

Division: Industrial Adhesives and Tapes Division

Address: 1840 Oxford Street East, Post Office Box 5757, London, Ontario N6A 4T1

Telephone: (800) 364-3577 **Website:** www.3M.ca

1.4. Emergency telephone number

Medical Emergency Telephone:1-800-3M HELPS / 1-800-364-3577; Transportation Emergency Telephone (CANUTEC): (613) 996-6666

SECTION 2: Hazard identification

2.1. Classification of the substance or mixture

Not classified according to the Canadian Hazardous Products Regulation.

2.2. Label elements

Signal word

Not applicable.

Symbols

Not applicable.

Pictograms

Not applicable.

2.3. Other hazards

May cause thermal burns.

SECTION 3: Composition/information on ingredients

This material is a mixture.

| Ingredient | C.A.S. No. | % by Wt | Common Name |
|--------------------------------|--------------|---------|---|
| Ethylene-Vinyl Acetate Polymer | 24937-78-8 | 50 - 70 | Acetic acid ethenyl ester, polymer with |
| | | | ethene |
| Hydrocarbon Resin | 68478-07-9 | 20 - 30 | Naphtha, petroleum, light steam-cracked |
| | | | arom., piperylene conc., polymd. |
| Non-Volatile Compounds | Trade Secret | < 15 | Not Applicable |
| Synthetic Rosin Resin | Trade Secret | < 10 | Not Applicable |
| Polyolefin Wax | 8002-74-2 | 1 - 5 | Paraffin waxes and Hydrocarbon waxes |
| Terpene Polymer | 31393-98-3 | < 5 | Bicyclo[3.1.1]hept-2-ene, 2,6,6-trimethyl-, |
| | | | polymer with 6,6-dimethyl-2- |
| | | | methylenebicyclo[3.1.1]heptane |

Non-Volatile Compounds is a non-hazardous Trade Secret material according to WHMIS criteria. Synthetic Rosin Resin is a non-hazardous Trade Secret material according to WHMIS criteria.

SECTION 4: First aid measures

4.1. Description of first aid measures

Inhalation:

Remove person to fresh air. If you feel unwell, get medical attention.

Skin Contact:

Immediately flush skin with large amounts of cold water for at least 15 minutes. DO NOT ATTEMPT TO REMOVE MOLTEN MATERIAL. Cover affected area with a clean dressing. Get immediate medical attention.

Eve Contact:

Immediately flush eyes with large amounts of water for at least 15 minutes. DO NOT ATTEMPT TO REMOVE MOLTEN MATERIAL. Get immediate medical attention.

If Swallowed:

No need for first aid is anticipated.

4.2. Most important symptoms and effects, both acute and delayed

No critical symptoms or effects. See Section 11.1, information on toxicological effects.

4.3. Indication of any immediate medical attention and special treatment required

Not applicable

SECTION 5: Fire-fighting measures

5.1. Suitable extinguishing media

In case of fire: Use a carbon dioxide or dry chemical extinguisher to extinguish.

5.2. Special hazards arising from the substance or mixture

None inherent in this product.

Hazardous Decomposition or By-Products

Substance Condition Aldehydes **During Combustion** Carbon monoxide **During Combustion** Carbon dioxide **During Combustion**

5.3. Special protective actions for fire-fighters

Wear full protective equipment (Bunker Gear) and a self-contained breathing apparatus (SCBA). Wear full protective clothing, including helmet, self-contained, positive pressure or pressure demand breathing apparatus, bunker coat and pants, bands around arms, waist and legs, face mask, and protective covering for exposed areas of the head.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Ventilate the area with fresh air. Refer to other sections of this SDS for information regarding physical and health hazards, respiratory protection, ventilation, and personal protective equipment.

6.2. Environmental precautions

Avoid release to the environment.

6.3. Methods and material for containment and cleaning up

Collect as much of the spilled material as possible. Place in a closed container approved for transportation by appropriate authorities. Clean up residue. Seal the container. Dispose of collected material as soon as possible in accordance with applicable local/regional/national/international regulations.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Avoid skin contact with hot material. For industrial or professional use only. Not for consumer sale or use. Avoid release to the environment. Avoid contact with oxidizing agents (eg. chlorine, chromic acid etc.)

7.2. Conditions for safe storage including any incompatibilities

Store away from oxidizing agents.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Occupational exposure limits

If a component is disclosed in section 3 but does not appear in the table below, an occupational exposure limit is not available for the component.

| Ingredient | C.A.S. No. | Agency | Limit type | Additional Comments |
|------------------------|------------|--------|-------------------------|----------------------------|
| Polyolefin Wax | 8002-74-2 | ACGIH | TWA(as fume):2 mg/m3 | |
| Non-Volatile Compounds | Trade | ACGIH | TWA(as Resin, inhalable | Dermal/Respiratory |

| | Secret | | fraction):0.001 mg/m3 | Sensitizer |
|-----------------------|--------|-------|-------------------------|--------------------|
| Synthetic Rosin Resin | Trade | ACGIH | TWA(as Resin, inhalable | Dermal/Respiratory |
| | Secret | | fraction):0.001 mg/m3 | Sensitizer |

ACGIH: American Conference of Governmental Industrial Hygienists

AIHA: American Industrial Hygiene Association

CMRG: Chemical Manufacturer's Recommended Guidelines

TWA: Time-Weighted-Average STEL: Short Term Exposure Limit

CEIL: Ceiling

8.2. Exposure controls

8.2.1. Engineering controls

Use general dilution ventilation and/or local exhaust ventilation to control airborne exposures to below relevant Exposure Limits and/or control dust/fume/gas/mist/vapours/spray. If ventilation is not adequate, use respiratory protection equipment.

8.2.2. Personal protective equipment (PPE)

Eye/face protection

None required.

Skin/hand protection

No chemical protective gloves are required.

Respiratory protection

None required.

Thermal hazards

Wear heat insulating gloves - Wear heat insulating gloves, indirect vented goggles, and a full face shield when handling hot material to prevent thermal burns.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

| Physical state | Solid | | |
|---|---|--|--|
| Specific Physical Form: | Waxy Solid | | |
| | | | |
| Colour | Tan | | |
| Odour | Odourless | | |
| Odour threshold | No Data Available | | |
| pH | No Data Available | | |
| Melting point/Freezing point | No Data Available | | |
| Boiling point | Not Applicable | | |
| Flash Point | 287.8 °C [Test Method:Cleveland Open Cup] | | |
| | [Details:CONDITIONS: ASTM D-92-72] | | |
| Evaporation rate | Not Applicable | | |
| Flammability (solid, gas) | Not Classified | | |
| Flammable Limits(LEL) | Not Applicable | | |
| Flammable Limits(UEL) | Not Applicable | | |
| Vapour Pressure | Not Applicable | | |
| Vapour Density and/or Relative Vapour Density | Not Applicable | | |
| Density | 0.95 g/cm3 | | |
| Relative density | 0.95 [Ref Std:WATER=1] | | |
| Water solubility | Nil | | |
| Solubility- non-water | No Data Available | | |

| Partition coefficient: n-octanol/ water | No Data Available |
|---|--|
| Autoignition temperature | 428.3 °C |
| Decomposition temperature | No Data Available |
| Viscosity/Kinematic Viscosity | Not Applicable |
| Volatile Organic Compounds | 0 g/l [Test Method:calculated SCAQMD rule 443.1] |
| Percent volatile | No Data Available |
| VOC Less H2O & Exempt Solvents | 0 g/l [Test Method:calculated SCAQMD rule 443.1] |
| Molecular weight | No Data Available |
| Solids Content | 100 % |

SECTION 10: Stability and reactivity

10.1. Reactivity

This material may be reactive with certain agents under certain conditions - see the remaining headings in this section.

10.2. Chemical stability

Stable.

10.3. Possibility of hazardous reactions

Hazardous polymerization will not occur.

10.4. Conditions to avoid

None known.

10.5. Incompatible materials

Strong oxidizing agents

10.6. Hazardous decomposition products

Substance

Condition

None known.

Refer to section 5.2 for hazardous decomposition products during combustion.

SECTION 11: Toxicological information

The information below may not be consistent with the material classification in Section 2 if specific ingredient classifications are mandated by a competent authority. In addition, toxicological data on ingredients may not be reflected in the material classification and/or the signs and symptoms of exposure, because an ingredient may be present below the threshold for labeling, an ingredient may not be available for exposure, or the data may not be relevant to the material as a whole.

11.1. Information on Toxicological effects

Signs and Symptoms of Exposure

Based on test data and/or information on the components, this material may produce the following health effects:

Inhalation:

No health effects are expected.

Skin Contact:

During heating: Thermal Burns: Signs/symptoms may include intense pain, redness and swelling, and tissue destruction.

Eye Contact:

During heating: Thermal Burns: Signs/symptoms may include severe pain, redness and swelling, and tissue destruction.

Ingestion:

No known health effects.

Toxicological Data

If a component is disclosed in section 3 but does not appear in a table below, either no data are available for that endpoint or the data are not sufficient for classification.

Acute Toxicity

| Name | Route | Species | Value |
|--------------------------------|-----------|-----------|--|
| Overall product | Ingestion | | No data available; calculated ATE >5,000 mg/kg |
| Ethylene-Vinyl Acetate Polymer | Dermal | | LD50 estimated to be > 5,000 mg/kg |
| Ethylene-Vinyl Acetate Polymer | Ingestion | Rat | LD50 > 1,000 mg/kg |
| Hydrocarbon Resin | Dermal | Rabbit | LD50 > 3,160 mg/kg |
| Hydrocarbon Resin | Ingestion | Rat | LD50 > 5,000 mg/kg |
| Non-Volatile Compounds | Dermal | Rat | LD50 > 2,000 mg/kg |
| Non-Volatile Compounds | Ingestion | Rat | LD50 > 2,000 mg/kg |
| Synthetic Rosin Resin | Dermal | Rabbit | LD50 > 2,500 mg/kg |
| Synthetic Rosin Resin | Ingestion | Rat | LD50 > 31,500 mg/kg |
| Terpene Polymer | Dermal | Professio | LD50 estimated to be > 5,000 mg/kg |
| | | nal | |
| | | judgeme | |
| | | nt | |
| Terpene Polymer | Ingestion | Rat | LD50 > 2,000 mg/kg |
| Polyolefin Wax | Dermal | Rat | LD50 > 5,000 mg/kg |
| Polyolefin Wax | Ingestion | Rat | LD50 > 5,000 mg/kg |

ATE = acute toxicity estimate

Skin Corrosion/Irritation

| Name | Species | Value |
|--------------------------------|-----------------------------------|---------------------------|
| Ethylene-Vinyl Acetate Polymer | Professio nal judgeme nt | No significant irritation |
| Hydrocarbon Resin | similar | No significant irritation |
| | compoun | |
| | ds | |
| Non-Volatile Compounds | Rabbit | No significant irritation |
| Synthetic Rosin Resin | Rabbit | Minimal irritation |
| Terpene Polymer | In vitro | No significant irritation |
| - | data | |
| Polyolefin Wax | Rabbit | No significant irritation |

Serious Eye Damage/Irritation

| Name | Species | Value |
|--------------------------------|-----------------------------------|---------------------------|
| Ethylene-Vinyl Acetate Polymer | Professio nal judgeme nt | No significant irritation |
| Hydrocarbon Resin | similar compoun ds | Mild irritant |
| Non-Volatile Compounds | Rabbit | Mild irritant |
| Synthetic Rosin Resin | Rabbit | Moderate irritant |
| Terpene Polymer | In vitro data | No significant irritation |
| Polyolefin Wax | Rabbit | No significant irritation |

Skin Sensitization

| Name | Species | Value |
|------------------------|----------|----------------|
| Non-Volatile Compounds | Human | Not classified |
| | and | |
| | animal | |
| Synthetic Rosin Resin | Guinea | Not classified |
| | pig | |
| Terpene Polymer | Multiple | Not classified |
| | animal | |
| | species | |
| Polyolefin Wax | Guinea | Not classified |
| | pig | |

Respiratory Sensitization

For the component/components, either no data are currently available or the data are not sufficient for classification.

Germ Cell Mutagenicity

| Name | Route | Value |
|-----------------|----------|---------------|
| Terpene Polymer | In Vitro | Not mutagenic |
| Polyolefin Wax | In Vitro | Not mutagenic |

Carcinogenicity

| Name | Route | Species | Value |
|-----------------------|-----------|---------|------------------|
| Synthetic Rosin Resin | Ingestion | Rat | Not carcinogenic |
| Polyolefin Wax | Ingestion | Rat | Not carcinogenic |

Reproductive Toxicity

Reproductive and/or Developmental Effects

For the component/components, either no data are currently available or the data are not sufficient for classification.

Target Organ(s)

Specific Target Organ Toxicity - single exposure

For the component/components, either no data are currently available or the data are not sufficient for classification.

Specific Target Organ Toxicity - repeated exposure

| Name | Route | Target Organ(s) | Value | Species | Test result | Exposure Duration |
|-----------------------------------|-----------|---|--|---------|-----------------------------|----------------------|
| Ethylene-Vinyl Acetate Polymer | Ingestion | liver | Not classified | Rat | NOAEL 4,000 mg/kg/day | 90 days |
| Synthetic Rosin Resin | Ingestion | hematopoietic system liver kidney and/or bladder heart endocrine system bone marrow immune system nervous system respiratory system | Not classified | Rat | NOAEL 1,000 mg/kg/day | 90 days |
| Terpene Polymer | Ingestion | heart gastrointestinal tract hematopoietic system liver nervous system eyes kidney and/or bladder | Not classified | Rat | NOAEL 331 mg/kg/day | 90 days |
| Polyolefin Wax | Ingestion | heart | Some positive data exist, but the data are not sufficient for classification | Rat | NOAEL 15 mg/kg/day | 90 days |
| Polyolefin Wax | Ingestion | hematopoietic system liver | Not classified | Rat | NOAEL 1,500 | 90 days |

| immune system skin endocrine | mg/kg/day |
|---|-----------|
| system bone, teeth, | |
| nails, and/or hair | |
| muscles nervous | |

Aspiration Hazard

For the component/components, either no data are currently available or the data are not sufficient for classification.

Please contact the address or phone number listed on the first page of the SDS for additional toxicological information on this material and/or its components.

SECTION 12: Ecological information

3M[™] Hot Melt Adhesive 3738-AE, 3738-B, 3738-PG, 3738-Q, 3738-TC

system | eyes | kidney and/or bladder | respiratory system | vascular

No data available.

SECTION 13: Disposal considerations

13.1. Disposal methods

Dispose of contents/ container in accordance with the local/regional/national/international regulations.

Dispose of waste product in a permitted industrial waste facility. As a disposal alternative, incinerate in a permitted waste incineration facility. Proper destruction may require the use of additional fuel during incineration processes. Empty drums/barrels/containers used for transporting and handling hazardous chemicals (chemical substances/mixtures/preparations classified as Hazardous as per applicable regulations) shall be considered, stored, treated & disposed of as hazardous wastes unless otherwise defined by applicable waste regulations. Consult with the respective regulating authorities to determine the available treatment and disposal facilities.

SECTION 14: Transport Information

For Transport Information, please visit http://3M.com/Transportinfo or call 1-800-364-3577 or 651-737-6501.

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Global inventory status

Contact 3M for more information. The components of this material are in compliance with the provisions of the Korea Chemical Control Act. Certain restrictions may apply. Contact the selling division for additional information. The components of this material are in compliance with the provisions of Australia National Industrial Chemical Notification and Assessment Scheme (NICNAS). Certain restrictions may apply. Contact the selling division for additional information. The components of this product are in compliance with the new substance notification requirements of CEPA. This product complies with Measures on Environmental Management of New Chemical Substances. All ingredients are listed on or exempt from on China IECSC inventory. The components of this product are in compliance with the chemical notification requirements of TSCA. All required components of this product are listed on the active portion of the TSCA Inventory.

SECTION 16: Other information

National Fire Protection Association (NFPA) hazard ratings are designed for use by emergency response personnel to address the hazards that are presented by short-term, acute exposure to a material under conditions of fire, spill, or similar emergencies. Hazard ratings are primarily based on the inherent physical and toxic properties of the material but also include the toxic properties of combustion or decomposition products that are known to be generated in significant quantities.

Health: 0 Flammability: 1 Instability: 0 Special Hazards: None

National Fire Protection Association (NFPA) hazard ratings are designed for use by emergency response personnel to address the hazards that are presented by short-term, acute exposure to a material under conditions of fire, spill, or similar emergencies. Hazard ratings are primarily based on the inherent physical and toxic properties of the material but also include the toxic properties of combustion or decomposition products that are known to be generated in significant quantities.

| Document group: | 10-0388-8 | Version number: | 13.04 |
|-----------------|------------|------------------|------------|
| Issue Date: | 2022/10/13 | Supercedes Date: | 2021/12/02 |

The information in this Safety Data Sheet (SDS) is believed to be correct as of the date issued. The manufacturer MAKES NO WARRANTIES, EXPRESS OR IMPLIED, STATUTORY OR OTHERWISE, INCLUDING, BUT NOT LIMITED TO, ANY IMPLIED WARRANTY OR CONDITION OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE OR ANY IMPLIED WARRANTY OR CONDITION ARISING OUT OF A COURSE OF PERFORMANCE, COURSE OF DEALING, CUSTOM OR USAGE OF TRADE. User is responsible for determining whether the product is fit for a particular purpose and suitable for user's method of use or application. Given the variety of factors that can affect the use and application of a product, some of which are uniquely within the user's knowledge and control, it is essential that the user evaluate the product to determine whether it is fit for a particular purpose and suitable for user's method of use or application.

3M Canada SDSs are available at www.3M.ca